

LIST OF CONTENTS

Chapter 1 INTRODUCTION

1.1 History.....	1
1.2 Block Diagram.....	2
1.3 Objective.....	2

Chapter 2 LITERATURE REVIEW

2.1 Heat Pipe.....	3
2.2 Close Loop Pulsating Heat Pipe.....	4
2.3 Operational Feature.....	4
2.4 Evaluation of PHP.....	5
2.5 Heat Pipe Materials and Working Fluids.....	8

Chapter 3 METHODOLOGY

3.1 General Aspect.....	10
3.2 View of experimental setup.....	11
3.3 Pulsating Heat Pipe.....	12
3.3.1 Evaporator Section.....	13
3.3.2 Adiabatic Section	13
3.3.3 Condenser Section.....	13
3.4 Working Fluid.....	14
3.4.1 Propanol.....	14
3.4.2 Ethanol.....	15
3.4.3 Butanol.....	16
3.4.4 Acetone.....	16
3.5 Test Stand.....	17
3.6 Heating Apparatus.....	18
3.6.1 Variable Power Supply.....	18
3.6.2 Nichrome wire.....	19
3.6.3 K Type Thermocouple (LM35)	19
3.7 Insulating Materials.....	20
3.7.1 Mica Tape.....	20
3.7.2 Aluminum Foil.....	21
3.7.3 Glass Wool.....	21
3.7.4 Heat Insulating Foam Tape.....	22
3.7.5 Silicon Tube.....	22

3.8 Measuring Apparatus.....	23
3.8.1 Watt Meter	23
3.8.2 Temperature controller relay	23
3.8.3 Selector Switch.....	24
3.9 Other Equipment's.....	24
3.9.1 Soldering Iron.....	24
3.9.2 Filler Metal.....	25
3.9.3 Inserted wire (Copper).....	25
3.9.4 Fan.....	26
3.9.5 Glue Gun.....	26
 3.9.6 Electrical wire	27
3.9.7 Syringe.....	27
3.10. Experimental Procedure.....	28
3.10.1 Normal Structure.....	28
3.10.2 Precautions.....	29

Chapter 4 RESULT AND DISCUSSION

4.1 Calculation	30
4.2 Inclination Compare and Filling Ratio Compare.....	31
4.3 General finding and outcomes.....	42
4.4 Characteristics of temperature distribution.....	43
4.5 Minimum Start Up Conditions.....	45
4.5 Variable Thermal Resistance.....	46
4.7 Variation of Heat Transfer Coefficient	47
 4.8 Effect of Inclination.....	48
4.9 Effect of Filling Ratio.....	48
4.10 Effect of Different Structures.....	49
4.11 Uncertainty Analysis.....	49
4.12 Application of Heat Pipe.....	50
4.13 Limitation of CLPHP.....	51

Chapter 5 CONCLUTION & RECOMMANDANTION

5.1Conclusion	52
---------------------	----

5.2 Recommendations	52
Reference.....	53

LIST OF FIGURES

Figure No.	Topic Name	Page
1.1	Block Diagram.....	2
2.1	Pressure Vs Enthalpy Graph	5
2.2	Earlier Versions of Heat Pipe	6
2.3	Experimental Set-up	11
3.1	Experiment Design	11
3.2	Experiment Design.....	11
3.3	Actual Experimental Structure (with fin)	11
3.4	Different cross sections of CLPHP with insert fin.....	12
3.5	Propanol.....	14
3.6	Ethanol.....	15
3.5	Butanol.....	16
3.6	Acetone.....	17
3.7	Test Stand.....	17
3.8	Variable Power Supply.....	18
3.9	Nichrome Wire.....	19

3.10	K Type Thermocouple (LM35)	19
3.10	Mica Tape.....	20
3.11	Aluminum Foil.....	21
3.12	Glass Wool.....	21
3.13	Foam Tape.....	22
3.14	Silicon Tube	22
3.15	Watt Meter.....	23
3.16	Temperature controller relay	23
3.17	Selector Switch	24
3.17	Soldering Iron.....	24
3.18	Filler Metal.....	25
3.19	Copper Wire.....	25
3.20	AC Fan.....	26
3.21	Glue Gun	26
3.22	Electric Wire	27
3.23	Syringe.....	27
3.25	Position of PHP in Angles (a) Vertical	29
4.1	Structure: Normal; Forced Convection Working Fluid: Propanol; Filling Ratio: 20%.....	31
	Working Fluid: Propanol; Filling Ratio: 60%.....	32
4.4	Structure: Normal; Forced Convection Working Fluid: Propanol; Filling Ratio: 80%.....	33
4.5	Structure: Normal; Forced Convection Working Fluid: Ethanol; Filling Ratio: 20%.....	34
4.6	Structure: Normal; Forced Convection Working Fluid: Ethanol; Filling Ratio: 60%.....	35
4.7	Structure: Normal; Forced Convection Working Fluid: Ethanol; Filling Ratio: 80%.....	35

4.8	Structure: Normal; Forced Convection	
	Working Fluid: Butanol; Filling Ratio: 20%.....	36
4.9	Structure: Normal; Forced Convection	
	Working Fluid: Butanol; Filling Ratio: 60%.....	37
4.10	Structure: Normal; Forced Convection	
	Working Fluid: Butanol; Filling Ratio: 80%.....	38
4.11	Structure: Normal; Forced Convection	
	Working Fluid: Acetone; Filling Ratio: 20%.....	38
4.12	Structure: Normal; Forced Convection	
	Working Fluid: Acetone; Filling Ratio: 60%.....	39
4.13	Structure: Normal; Forced Convection	
	Working Fluid: Acetone; Filling Ratio: 80%.....	40
4.13	Structure: Normal; Forced Convection	
4.13	Structure: Normal; Forced Convection	
	Working Fluid: Propanol; Filling Ratio:20%,60% & 80%.....	41
4.13	Structure: Normal; Forced Convection	
	Working Fluid: Ethanol; Filling Ratio:20%,60% & 80%.....	41
4.	Structure: Normal; Forced Convection	
	Working Fluid: Butanol; Filling Ratio:20%,60% & 80%.....	41
4.13	Structure: Normal; Forced Convection	
	Working Fluid: Acetone; Filling Ratio:20%,60% & 80%.....	42
4.13	Structure: Normal; Forced Convection	
	Working Fluid: Propanol,Ethanol,Butanole & Acetone; Filling Ratio: 60%.....	42

LIST OF TABLES

Table No.	Topic Name	Page
3.1	Experimental Component Parameter and Dimensions.....	13
3.2	Properties of Propanol.....	14
3.3	Properties of Ethanol	15
3.2	Properties of Butanol.....	16

3.3	Properties of Acetone.....	17
3.4	Variable Power Supply Specification.....	18

